



## GRASS FORAGE HARVESTER



**agromaster®**

**“We know the soil”**

[www.agromaster.com](http://www.agromaster.com)

Forage Harvester is used for harvesting every kind of green fodder and grass in order to feed the animals directly or for making silage.

The free floating knives on the rotor are specially designed in order to prevent the damage to the machine when they hit a hard material like stones in the field.

The rotating speed of the rotor and knives create the blow needed to blow the cut grass to the trailer.

The height adjustment can be easily controlled by the spring controlled adjusting pin on the chassis.

There is an automatic attachment between chassis and machine in order to connect the machine to the chassis easily by the driver of the tractor.

- Trailed version is also available on request.
- Chute locks for an easy access to the rotor and knives
- Hydraulic control for chute direction
- Manuel deflector adjustment from the tractor cab
- Free floating knives
- Durable and strong gearbox
- Optional chute extension (for high trailers)



Technical Specifications*	Unit	CSM 130	CSM 150
Total Width (W)	mm	1450	1900
	ft.in.	4'9"	6'3"
Total Length (Transport)	mm	4500	4500
	ft.in.	14'9"	14'9"
Total Length (Working)	mm	2500	2500
	ft.in.	8'2"	8'2"
Total Height (H)	mm	3150	3600
	ft.in.	10'4"	11'10"
Working Width	mm.	1300	1500
	ft.in.	4'3"	4'11"
Chopping Length	mm	140	140
	ft.in.	6"	6"
Wheel		2* (165x80 R13)	2* (165x80 R13)
Working Capacity	Tons/H	16	20
Number of Knives	pcs	20	24
P.T.O.	rpm	540	
Required Power	hp	50-55	65-75
Total Weight	kg	500	580
	lbs	1102	1278

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

\* Manufacturer reserves rights to change them without notice.



**agromaster**<sup>®</sup>



🏠 Buyukkayacik Mahallesi Org. San. Bolgesi Evrenkoy Cad. No:32 • Selcuklu/Konya/TURKEY

☎ +90 332 235 64 23

✉ info@agromaster.com

🌐 www.agromaster.com

